




CLAIMS

1. A tetrahydronaphthalene derivative represented by a general formula (I)



- 5 (wherein, R represents a saturated or unsaturated alkyl group or alkoxyl group of 1 to 20 carbon atoms which may incorporate a branched chain and may be substituted with 1 to 7 fluorine atoms or alkoxyl groups of 1 to 7 carbon atoms; linkage groups La, Lb, Lc and Ld each represent independently a single bond, $-\text{CH}_2\text{CH}_2-$, $-\text{CH}=\text{CH}-$, $-\text{CH}(\text{CH}_3)\text{CH}_2-$, $-\text{CH}_2\text{CH}(\text{CH}_3)-$, $-\text{CH}(\text{CH}_3)\text{CH}(\text{CH}_3)-$, $-\text{CF}_2\text{CF}_2-$, $-\text{CF}=\text{CF}-$, $-\text{CH}_2\text{O}-$, $-\text{OCH}_2-$, $-\text{OCH}(\text{CH}_3)-$, $-\text{CH}(\text{CH}_3)\text{O}-$, $-\text{C}\equiv\text{C}-$, $-\text{CF}_2\text{O}-$, $-\text{OCF}_2-$, $-\text{COO}-$, $-\text{OCO}-$, $-\text{COS}-$ or $-\text{SCO}-$; Z represents a
- 10 fluorine atom, chlorine atom, cyano group, cyanato group, trifluoromethoxy group or a difluoromethoxy group; ring A, ring B and ring D each represent independently a trans-1,4-cyclohexylene group, a trans-decahydronaphthalene-2,6-diyl group, a trans-1,3-dioxane-2,4-diyl group, or a 1,4-phenylene group which may be substituted with one or two fluorine
- 15 atoms, a pyridine-2,5-diyl group, a pyrimidine-2,5-diyl group, a pyrazine-2,5-diyl group, a pyridazine-3,6-diyl group, and a naphthalene-2,6-diyl group which may be substituted with one or two fluorine atoms; ring E represents independently a 1,4-phenylene group which may be substituted with one or two fluorine atoms, and a naphthalene-2,6-diyl group which may be substituted with one or two fluorine atoms, ring C represents either one of a general
- 20 formula (IIa) and a general formula (IIb)



although, in a case in which $n^c = 1$ and $n^d = 0$, ring D represents a 1,4-phenylene group which may be substituted with one or two fluorine atoms and/or a naphthalene-2,6-diyl group which may be substituted with one or two fluorine atoms,

in a case in which Z is a cyano group, R is an unsubstituted and saturated alkyl group or alkoxyl group, $n^a = n^b = n^c = 0$ and $n^d = 1$, or $n^a = n^b = n^d = 0$ and $n^c = 1$, ring C and ring D are 1,4-phenylene groups, Lc and Ld are single bonds or -COO- linkages, and ring C is said general formula (IIa), then at least one of X^1 , X^2 and X^3 represents a fluorine atom;

in a case in which Z is a fluorine atom, R is an unsubstituted and saturated alkyl group or alkoxyl group, $n^a = n^b = n^c = 0$ and $n^d = 1$, or $n^a = n^b = n^d = 0$ and $n^c = 1$, ring C and ring D are 1,4-phenylene groups, Lc and Ld are -COO- linkages, and ring C is said general formula (IIb), then at least one of X^4 , X^5 and X^6 represents a fluorine atom;

1).

Sub

2. A tetrahydronaphthalene derivative according to claim 1, wherein in said general formula (I), ring C is represented by said formula (IIa).

3. A tetrahydronaphthalene derivative according to claim 1, wherein in said general
5 formula (I), ring C is represented by said formula (IIb).

4. A tetrahydronaphthalene derivative according to any one of claims 1 through 3,
wherein in said general formula (I), either one of n^a and n^b is 0.

10 5. A tetrahydronaphthalene derivative according to any one of claims 1 through 4,
wherein in said general formula (I), either one of n^c and n^d is 0.

6. A tetrahydronaphthalene derivative according to any one of claims 1 through 5,
wherein in said general formula (I), $n^a = n^b \neq 0$.

15 7. A tetrahydronaphthalene derivative according to any one of claims 1, 2, 4 and 5,
wherein in said general formula (I), $n^c = n^d = 0$.

8. A tetrahydronaphthalene derivative according to any one of claims 1 through 7,
20 wherein in said general formula (I), at least one of n^a , n^b , n^c and n^d is 1.

9. A tetrahydronaphthalene derivative according to any one of claims 1 through 8,
wherein in said general formula (I), said linkage groups La, Lb, Lc and Ld are each selected
independently from a group consisting of a single bond, $-\text{CH}_2\text{CH}_2-$, and $-\text{C}\equiv\text{C}-$.

09926838-122801

10. A tetrahydronaphthalene derivative according to any one of claims 1 through 9, wherein in said general formula (I), said linkage groups La, Lb, Lc and Ld are each selected independently from a group consisting of a single bond and $-\text{CH}_2\text{CH}_2-$.

5

11. A tetrahydronaphthalene derivative according to any one of claims 1 through 10, wherein in said general formula (I), said linkage groups La, Lb, Lc and Ld are each a single bond.

10

12. A tetrahydronaphthalene derivative according to any one of claims 1 through 11, wherein in said general formula (I), ring A, ring B and ring D are each independently selected from a group consisting of a trans-1,4-cyclohexylene group, a trans-decahydronaphthalene-2,6-diyl group, a trans-1,3-dioxane-2,4-diyl group, a 1,4-phenylene group which may be substituted with one or two fluorine atoms, and a naphthalene-2,6-diyl group which may be substituted with one or two fluorine atoms.

15

13. A tetrahydronaphthalene derivative according to any one of claims 1 through 12, wherein in said general formula (I), Z is a fluorine atom.

20

14. A tetrahydronaphthalene derivative according to any one of claims 1 through 12, wherein in said general formula (I), Z is a cyano group.

15. A tetrahydronaphthalene derivative according to any one of claims 1 through 12, wherein in said general formula (I), Z is a trifluoromethoxy group.

09926838-122801

16. A tetrahydronaphthalene derivative according to any one of claims 1 through 15,
wherein in said general formula (I), R is a saturated or unsaturated alkyl group of 1 to 20
carbon atoms which may incorporate a branched chain and may be substituted with 1 to 7
5 fluorine atoms or alkoxyl groups of 1 to 7 carbon atoms.

17. A tetrahydronaphthalene derivative according to any one of claims 1 through 16,
wherein in said general formula (I), R is a saturated or unsaturated straight chain alkyl group
of 1 to 20 carbon atoms.

18. A tetrahydronaphthalene derivative according to any one of claims 1 through 17,
wherein in said general formula (I), X^3 , X^4 and X^5 in said formula (IIa) and said formula (IIb)
are hydrogen atoms.

19. A tetrahydronaphthalene derivative according to any one of claims 1 through 18,
wherein in said general formula (I), X^2 in said formula (IIa) is a hydrogen atom and X^1 is a
fluorine atom.

20. A tetrahydronaphthalene derivative according to any one of claims 1 through 18,
wherein in said general formula (I), X^1 in said formula (IIa) is a hydrogen atom and X^2 is a
fluorine atom.

21. A tetrahydronaphthalene derivative according to any one of claims 1 through 20
which shows liquid crystallinity.

09926838 122801
T0822T 8882660

22. A tetrahydronaphthalene derivative according to any one of claims 1 through 21 which shows a nematic phase.

5 23. A tetrahydronaphthalene derivative according to any one of claims 1 through 22
which upon addition to a nematic liquid crystal composition shows a nematic phase.

24. A liquid crystal composition containing at least one compound of said general formula (I) according to any one of claims 1 through 23.

25. A liquid crystal composition according to claim 24 which can be used for active matrix driving.

26. A liquid crystal element comprising a liquid crystal composition according to claim 25 as a structural element.

27. An active matrix driven liquid crystal display element utilizing a liquid crystal composition according to claim 26.